



## SAFETY DATA SHEET

Date Prepared: 2012/11/13

Date Revised:

Product Name: Yamalube 4T SJ 10W30

### 1. Identification of the substance/mixture and of the company/undertaking

Product Name: Yamalube 4T SJ 10W30  
 Identification of the supplier: JX Nippon Oil & Energy Europe Limited  
 Address: 4th Floor, 4 Moorgate, London EC2R 6DA, U.K.  
 Charge section:  
 (TEL:+44-20-7186-400)

### 2. Hazards identification

hazard category	Category
Acute toxicity (oral)	No Classification
Acute toxicity (dermal)	No Classification
Specific target organ systemic toxicity following single exposure	No Classification
Specific target organ systemic toxicity following repeated exposure	No Classification
Aspiration hazard	No Classification

#### LABEL ELEMENTS

Hazard pictograms:	Not applicable
Signal word:	Not applicable
Hazard Statement:	Not applicable
Precautionary Statements:	Prevention Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product.

### 3. Composition/information on ingredients

Substance/Mixture: Mixture

Ingredients and Concentration

Ingredient Name	Concentrationwt. %	EC NO.
Base Oil(s)	80-90	-
Additives	<20	-

### 4. First-aid measures

Inhalation: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
Cover the body with blankets to keep warm and quiet. If you feel unwell, seek medical advice.

Skin Contact: Immediately flush skin with large amounts of water.  
Wash contaminated clothing before reuse.



## SAFETY DATA SHEET

Date Prepared: 2012/11/13

Date Revised:

Product Name: Yamalube 4T SJ 10W30

Eye Contact:	If skin irritation occurs : Get medical advice/attention. Rinse with clean water carefully for several minutes. Remove contact lenses if present and if removal is easy, then continue rinsing. Rinse for 15 minutes at a minimum and seek medical attention.
Ingestion:	Do not induce vomiting. Drink [one glass] [two glasses] of water. Call a physician [or poison control center] immediately.

### 5. Fire-fighting measures

Suitable Extinguishing Media:	Mist of loaded liquid, dry chemicals, carbon dioxide, fire foam, and dry sand are effective.
Unsuitable Extinguishing Media:	Do not use water jet as an extinguisher, as this will spread the fire.
Special hazards arising from the substance or mixture:	In some cases of fire, may release irritant gases.  May produce carbon monoxide and other toxic gases when burned.
Fire Fighting:	Spray water to the surrounding facilities for cooling. Keep unauthorized persons away from fire and surroundings.  Even after extinction, cool containers thoroughly with plenty of water.
Special protective equipment and precautions for fire fighters:	Wear fire/flare resistant/retardant clothing.  Fight fire from windward direction while wearing protective equipment. If contact with skin is expected, wear impervious gloves and protective clothing. Wear self-contained breathing apparatus and protective clothing if necessary.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:	Use personal protective equipment as required.  Immediately remove nearby potential ignition sources. When mist is generated, use respiratory equipment to prevent inhalation of mist. Do not touch or walk through spilt material. Site of spillage is slippery.
Environmental precautions:	Prevent spreading of oil spill with earth and sand, sandbags, or other proper materials and use care not to allow the oil spill to flow to street drains, sewer systems, and rivers.  At sea, install oil spill containment booms to prevent spreading of spills and absorb with absorption mat or other proper materials.



## SAFETY DATA SHEET

Date Prepared: 2012/11/13

Date Revised:

Product Name: Yamalube 4T SJ 10W30

Methods and materials for containment and cleaning up:	<p>Small spills: Dike and absorb with inert material such as earth, sand, sawdust, waste or other proper materials.</p> <p>Large spills: Stop spill and dike to prevent spreading. Collect in empty containers.</p>
Prevention of second accident:	<p>In case of spillage, immediately inform the organizations concerned of the spillage to prevent possible accidents and spreading of spillage.</p> <p>Remove nearby potential ignition sources immediately and make fire-extinguishing agents available. Remove spillage completely, and ventilate and clean the site and the surroundings.</p>

### 7. Handling and storage

#### Handling

Technical Measures:	<p>Keep away from any possible contact with sparks, open flames, and high-temperature materials, and do not allow release of vapor without justification.</p> <p>Use pumps or other proper equipment for taking out from containers. Do not siphon with your mouth using a tube. Do not drink.</p> <p>When mist is generated, use respiratory equipment to prevent inhalation of mist.</p> <p>In case of vapor/mist dispersion, install a closed system, local ventilation system, and/or other proper equipment for the sources of vapor/mist generation.</p> <p>Avoid rough handling of containers such as falling, dropping, exposing to shock, and dragging.</p>
Ventilation requirements:	Use only in well-ventilated areas.
Precautions:	<p>Wash hands and face thoroughly after handling.</p> <p>Be careful with fire.</p>
Precautions for safe handling:	<p>Avoid falling, dropping, exposing to shock, or dragging of containers.</p> <p>Wear protective gloves when opening containers to eliminate risk of hand injury.</p>

#### Storage

Storage Conditions:	<p>Store in a well ventilated, cool, dry, dark place, protecting from direct sunlight and keeping away from any potential ignition sources and high-temperature materials.</p> <p>Keep container tightly closed when not in use to prevent possible contamination with dust and moisture.</p> <p>Preferably store locked up in a proper storage area.</p>
Adequate container materials:	Use spill-proof containers that are free of damage/corrosion.

### 8. Exposure controls/personal protection



## SAFETY DATA SHEET

Date Prepared: 2012/11/13

Date Revised:

Product Name: Yamalube 4T SJ 10W30

Appropriate engineering controls: In case of mist generation, enclose the source of mist generation, or install a ventilation system.  
Install eye cleaning and body cleaning equipment near the handling site.

### Control parameters

Ingredient Name	EU - OEL		ACGIH	
	STEL	TWA	TLV-STEL	TLV-TWA
Base Oil(s)	None established ppm, None established mg/m <sup>3</sup>	None established ppm, None established mg/m <sup>3</sup>	None established ppm, None established mg/m <sup>3</sup>	None established ppm, 5mg/m <sup>3</sup> (Mineral Oil Mist)

### Personal Protective Equipment

Respiratory Protection: Not needed under normal conditions, but wear a gas mask (against organic gases) whenever required.

Hand protection: In case of prolonged or repeated exposure, wear oil-resistant hand protection.

Eye/face protection: In case of exposure to splashes, wear ordinary type goggles.

Skin Protection: In case of handling over a prolonged period of time or in case of exposure to oil, wear oil-resistant, long-sleeved work clothing.

Hygiene Measures: Take off contaminated clothing and wash thoroughly before reuse.  
Wash hands thoroughly after handling.

## 9. Physical and chemical properties

### Product

Physical state: Liquid

Form: Liquid

Color: Yellow

Odor: Slight odor

Melting point/freezing point: Pour Point-40( )

Initial boiling point and boiling range: Initial boiling point - End point No data

Flash point: 218( )Cleveland Open Cup

Auto-ignition temperature: Estimated 200—410( )

Upper/lower flammability or explosive limits: Explosion Limit (1-7%)

Vapour density: No data.

Density(g/cm<sup>3</sup>): 0.874(15 )

Solubility: water: Insoluble.



## SAFETY DATA SHEET

Date Prepared: 2012/11/13

Date Revised:

Product Name: Yamalube 4T SJ 10W30

Partition coefficient: n-  
octanol/water: No data.  
Decomposition  
temperature: No data.

### 10. Stability and reactivity

Chemical stability: Stable when stored or preserved in a dark place at room temperature.  
Possibility of hazardous reactions: Keep away from any possible contact with strong oxidizing agents.  
Conditions to avoid: Contact with incompatible hazard substances  
Prolonged heating, open flames, and ignition sources  
Incompatible materials: Use care to keep away from any possible contact with halogens, strong acids, alkalis, and acidifying substances.  
Hazardous decomposition products: May produce carbon monoxide and other toxic gases when burned.

### 11. Toxicological information

Product

Acute toxicity (oral): For mixtures, hazard category was identified based on the classification criteria for mixtures.  
Acute toxicity (dermal): For mixtures, hazard category was identified based on the classification criteria for mixtures.  
Acute toxicity (inhalation): For mixtures, hazard category was identified based on the classification criteria for mixtures.  
Skin corrosion/irritation: For mixtures, hazard category was identified based on the classification criteria for mixtures.  
Serious eye damage/irritation: For mixtures, hazard category was identified based on the classification criteria for mixtures.  
Respiratory sensitization: For mixtures, hazard category was identified based on the classification criteria for mixtures.  
Skin sensitization: For mixtures, hazard category was identified based on the classification criteria for mixtures.  
Mutagenicity: For mixtures, hazard category was identified based on the classification criteria for mixtures.  
Carcinogenicity: For mixtures, hazard category was identified based on the classification criteria for mixtures.  
Reproductive toxicity: For mixtures, hazard category was identified based on the classification criteria for mixtures.  
Target organ effect/Single exposure: For mixtures, hazard category was identified based on the classification criteria for mixtures.  
Target organ effect/Multi exposure: For mixtures, hazard category was identified based on the classification criteria for mixtures.  
Respiratory toxic: For mixtures, hazard category was identified based on the classification criteria for mixtures.



## SAFETY DATA SHEET

Date Prepared: 2012/11/13

Date Revised:

Product Name: Yamalube 4T SJ 10W30

### Ingredient

#### Base Oil(s)

Acute toxicity (oral):	LD50: 5000 mg/kg[rat]
Acute toxicity (dermal):	LD50: 5000 mg/kg[rat]
Acute toxicity (inhalation):	LC50: 5 mg/kg[rat]
Serious eye damage/irritation:	Practically None [rabbit]
Skin sensitization:	None Buehler method [guinea pig]
Mutagenicity:	Ames Test:Negative
Carcinogenicity:	EU:Category 1: R45 need not apply.(NOTE L is Applicable), IARC:3

## 12. Ecological information

### Product

#### Ecotoxicity

Fish acute toxicity:	For mixtures, hazard category was identified based on the classification criteria for mixtures.
Algae acute toxicity:	For mixtures, hazard category was identified based on the classification criteria for mixtures.
Fish chronic toxicity:	For mixtures, hazard category was identified based on the classification criteria for mixtures.
Algae chronic toxicity:	For mixtures, hazard category was identified based on the classification criteria for mixtures.

### Ingredient

#### Base Oil(s)

#### Ecotoxicity

Fish acute toxicity:	96hLC50: > 5000 mg/L[Oncorhynchus mykiss]
Daphnia acute toxicity:	48hEC50: > 1000 mg/L[Daphnia magna]

## 13. Disposal considerations

Disposal methods: Dispose of contents/container in accordance with local/regional/national/international regulations.  
Every customer/user of the product should dispose of industrial waste on his own responsibility, otherwise rely on an authorized industrial waste treatment plant for proper disposal.

Before disposal of used container, remove contents completely.

## 14. Transport information

### IMDG

UN classification: Not applicable

Specific security precaution and condition of transportation: Transport containers without causing any significant friction or shaking.



## SAFETY DATA SHEET

Date Prepared: 2012/11/13

Date Revised:

Product Name: Yamalube 4T SJ 10W30

---

### 15. Regulatory information

Korea(KECL):	All components are listed or exempted.
Australia(AICS):	All components are listed or exempted.
Canada(DSL):	All components are listed or exempted.
China(IECSC):	All components are listed or exempted.
EU(REACH):	In case one or more components are not listed or, even if listed, when importing to the country or area concerned, an application or notification is required.
New Zealand(NZIoC):	All components are listed or exempted.
USA(TSCA):	All components are listed or exempted.
Philippines(PICCS):	All components are listed or exempted.

---

### 16. Other information

Disclaimer	<p>The safety data sheet (SDS) is provided to business operators as reference information to ensure the safe handling of hazardous and harmful chemical products. The information above is created in accordance with Japanese Industrial Standards (JIS), based on information currently available, and may not necessarily comply with other country's regulations on creating SDSs.</p> <p>Business operators are requested to make use of this data sheet, at their own responsibility, understanding the necessity of taking appropriate measures to meet actual handling conditions, etc.</p> <p>This data sheet should not therefore be regarded as a guarantee of safety.</p>
------------	---